



| GRIT | SIEVE TEST 1 | | SIEVE TEST 2 | | SIEVE TEST 3 | | SIEVE TEST 3 AND 4 | | SIEVE TEST 3, 4 AND 5 | | |
|-------|--------------|----|--------------|--------|--------------|--------|--------------------|-----------------------------|-----------------------|----------------------------------|-----------------------|
| | APERATURE | Q1 | APERATURE | Q2 MAX | APERATURE | Q3 MIN | APERATURE | SUM OF RESIDUES Q3 + Q4 MIN | APERATURE | SUM OF RESIDUES Q3 + Q4 + Q5 MIN | REMAINDER DELTA Q MAX |
| F 4 | 8.00 mm | 0% | 5.60 mm | 20% | 4.75 mm | 40% | 4.00 mm | 70% | 3.35 mm | NS | 3% |
| F 5 | 6.70 mm | 0% | 4.75 mm | 20% | 4.00 mm | 40% | 3.35 mm | 70% | 2.80 mm | NS | 3% |
| F 6 | 5.60 mm | 0% | 4.00 mm | 20% | 3.35 mm | 40% | 2.80 mm | 70% | 2.36 mm | NS | 3% |
| F 7 | 4.75 mm | 0% | 3.35 mm | 20% | 2.80 mm | 40% | 2.36 mm | 70% | 2.00 mm | NS | 3% |
| F 8 | 4.00 mm | 0% | 2.80 mm | 20% | 2.36 mm | 45% | 2.00 mm | 70% | 1.70 mm | NS | 3% |
| F 10 | 3.35 mm | 0% | 2.36 mm | 20% | 2.00 mm | 45% | 1.70 mm | 70% | 1.40 mm | NS | 3% |
| F 12 | 2.80 mm | 0% | 2.00 mm | 20% | 1.70 mm | 45% | 1.40 mm | 70% | 1.18 mm | NS | 3% |
| F 14 | 2.36 mm | 0% | 1.70 mm | 20% | 1.40 mm | 45% | 1.18 mm | 70% | 1.00 mm | NS | 3% |
| F 16 | 2.00 mm | 0% | 1.40 mm | 20% | 1.18 mm | 45% | 1.00 mm | 70% | 850 µm | NS | 3% |
| F 20 | 1.70 mm | 0% | 1.18 mm | 20% | 1.00 mm | 45% | 850 µm | 70% | 710 µm | NS | 3% |
| F 22 | 1.40 mm | 0% | 1.00 mm | 20% | 850 µm | 45% | 710 µm | 70% | 600 µm | NS | 3% |
| F 24 | 1.18 mm | 0% | 850 µm | 25% | 710 µm | 45% | 600 µm | 65% | 500 µm | NS | 3% |
| F 30 | 1.00 mm | 0% | 710 µm | 25% | 600 µm | 45% | 500 µm | 65% | 425 µm | NS | 3% |
| F 36 | 850 µm | 0% | 600 µm | 25% | 500 µm | 45% | 425 µm | 65% | 355 µm | NS | 3% |
| F 40 | 710 µm | 0% | 500 µm | 25% | 425 µm | 40% | 355 µm | 65% | 300 µm | NS | 3% |
| F 46 | 600 µm | 0% | 425 µm | 25% | 355 µm | 40% | 300 µm | 65% | 250 µm | NS | 3% |
| F 54 | 500 µm | 0% | 355 µm | 25% | 300 µm | 40% | 250 µm | 65% | 212 µm | NS | 3% |
| F 60 | 425 µm | 0% | 300 µm | 25% | 250 µm | 40% | 212 µm | 65% | 180 µm | NS | 3% |
| F 70 | 355 µm | 0% | 250 µm | 25% | 212 µm | 40% | 180 µm | 65% | 150 µm | NS | 3% |
| F 80 | 300 µm | 0% | 212 µm | 25% | 180 µm | 40% | 150 µm | 65% | 125 µm | NS | 3% |
| F 90 | 250 µm | 0% | 180 µm | 20% | 150 µm | 40% | 125 µm | 65% | 106 µm | NS | 3% |
| F 100 | 212 µm | 0% | 150 µm | 20% | 125 µm | 40% | 106 µm | 65% | 75 µm | NS | 3% |
| F 120 | 180 µm | 0% | 125 µm | 20% | 106 µm | 40% | 90 µm | 65% | 63 µm | NS | 3% |
| F 150 | 150 µm | 0% | 106 µm | 15% | 75 µm | 40% | 63 µm | 40% | 45 µm | NS | 3% |
| F 180 | 125 µm | 0% | 90 µm | 15% | 75 µm | NS | 63 µm | 40% | 53 µm | 65% | NS |
| F 220 | 106 µm | 0% | 75 µm | 15% | 63 µm | NS | 53 µm | 40% | 45 µm | 60% | NS |

NS = Not Specified